



SAFETY RULES

For Horse Powertrain visitors



Safety rules for Horse Powertrain visitors

General notes

Access and parking

- ☐ Pedestrian access is made through turnstiles based on the access card
- ☐ Vehicle parking will be done in the arranged parking areas
- ☐ Respect reserved parking spaces



Traffic

- ☐ Wearing a seat belt is mandatory
- ☐ Respect the speed limit of 25 km/h inside the unit
- ☐ It is forbidden to use a mobile phone while driving
- ☐ Give priority to pedestrians




General Guidelines and Rules - Horse Access

- ☐ Access of people and vehicles to the Horse premises is **only with authorization**
- ☐ Entry and movement of vehicles are **prohibited**, except in authorized cases
- ☐ Visitors comply with **Horse traffic rules** (parking, speed, etc.)



People and materials access

- ☐ Access to the Horse premises is allowed only to authorized persons, who must carry their ID card at all times
- ☐ Tools and materials must be declared upon entry. Any undeclared materials are considered the property of the HORSE



Safety rules for Horse Powertrain visitors

General notes

Do not smoke/vape except in specially designated areas !



Only **cross on pedestrian walkways** and be safe!

Always pay attention to vehicles!

Do not separate yourself from the group during your visit!




Do not touch parts or installations!

Do not take photos or videos!



Protect yourself!

Wear dedicated safety equipment (safety shoes, reflective vest, glasses, earplugs or headphones, etc.)



Safety rules for Horse Powertrain visitors

Order, storage and cleaning



Respect must be given to 5S reference state of your workstation and its surrounding environment

- ☐ Slips, trips, or falls are the leading cause of accidents
- ☐ 5S compliance reduces the risk of falling from the same level or falling objects
- ☐ Ground markings – must be followed
- ☐ Oil stains – if identified, requires elimination of the risk of slipping on the ground
- ☐ Emergency exits, fire extinguishers, security showers should not be blocked




Safety rules for Horse Powertrain visitors

Risk prevention in case of intervention on installations


Potential hazards:

- ☐ Residual energies (electrical, pneumatic, hydraulic, mechanical, gravitational, thermal, chemical)
- ☐ Moving parts of machines
- ☐ Cutting parts
- ☐ Dangerous movement or access
- ☐ Working at height




- ☐ I take the installation out of operation and turn off the power supply.
- ☐ I make sure there are no residual energies before intervening.
- ☐ I lock with my nominal padlock and keep the key with me.

There will be as many padlocks put in place as there are people who intervene in the installation.




Potential hazards at the intervention



Any electrical intervention or access to electrical panels without Horse authorization is prohibited.

Safety rules for Horse Powertrain visitors

Risk prevention – pedestrian and vehicle traffic



- ☐ Respect traffic rules and road markings inside and outside the company
- ☐ Cross only at pedestrian crossings
- ☐ Pay extra attention in areas without visibility and to logistical vehicles
- ☐ Respect speed limits
- ☐ Seat belts are mandatory
- ☐ Using a mobile phone is prohibited while driving
- ☐ Pay extra attention to pedestrians



On the Horse platform, **road traffic rules** are respected

Respect:

- Speed limits
- Road signs
- Priority signals
- Wearing seat belts
- Vehicles will drive with their **lights on**



Parking and stopping are **allowed only in authorized places**.

Failure to comply with the rules may result in **restricted access to Horse premises**.

Safety rules for Horse Powertrain visitors

Access and use of lifting equipment


Production equipment and machines

Access, use or intervention on machinery and installations without authorization is prohibited.

Storage areas and lifting equipment

- I do not enter a storage area unless I am trained and authorized. Before entering the area, I make sure that there is no danger and that I wear a reflective vest;
- It is mandatory to be trained and authorized to operate a lifting device and to tie down loads

- ❖ Horse does not lend lifting equipment.
- ❖ The use of lifting equipment is only allowed to authorized personnel
- ❖ Forklifts are not used as a work platform.
- ❖ Personnel lifting is done only with dedicated and compliant equipment.



Caution: it is mandatory that the lifting installations and the service personnel must be authorized by the I.S.C.I.R according to Law 64/2008 and Law 49/2019



Safety rules for Horse Powertrain visitors

Risk prevention when using chemical products



I respect the conditions of use and storage of chemical products indicated in the user/environmental information sheets (FIU/FIM);

- ✓ All chemicals to be used will be declared before the start of the works.
- ✓ Only chemicals whose **Safety Information Sheets (SDS)** have been provided and are annexed to the prevention plan may be used.
- ✓ Chemicals should be used in compliance with the safety instructions on the packaging.

Obligation to comply with chemical storage rules:

- ☐ Presence of **retentions tanks**;
- ☐ Applying compatibility rules – **color code**;
- ☐ No chemicals in food packaging (**original packaging should always be used**)

Storage is done in compliance with compatibility rules, using retention tanks and keeping in the original, labeled packaging.

Storage in food containers or cabinets intended for other products is prohibited.



DECONECTARE TELEFON



FUMATUL INTERZIS



NU UTILIZATI MATERIAL ELECTRONIC DE BUZUNAR



FĂRĂ FLACĂRĂ SAU SCÂNTEI



Mixing incompatible products can cause dangerous chemical reactions – toxic gas emissions, fire, explosions...

For ATEX areas or interventions with ignition sources, authorization and the use of appropriate equipment is required



For all questions, contact the chemical products correspondent in the sector in which you operate.

Safety rules for Horse Powertrain visitors

Risk prevention in case of work activity



Management of maintenance interventions / external companies

Separation of activities:

- **Rigid separation** (grids – $h=1.80$ fixed between each other) → used for **long-term works**
- **Temporary separation** (extensible barriers or signaling tape) → used for **short-term works (max. 8 hours)**

Coordination & monitoring of construction sites / IE personnel skills

- All works will be supervised and coordinated
- Works at height must be organized in such a way that collective protection is a priority.
- No intervention will be carried out without having the necessary documents (Prevention Plan, display panel at the entrance)
- The intervening personnel will be trained, authorized and medically fit
- Check during the work (both before starting the work and during the activity) → audits
- At the end of the work → reception of the work from the safety point of view
- For working at height, the intervening personnel must be fully equipped, the belt worn and fixed on the body, and the cord must be attached at the two points provided for this aspect



Balizarea rigidă



Balizarea provizorie

Plan de prevenire

Nr. ____ / ____

Prezentul document trebuie întocmit înainte de începerea lucrărilor, de comun acord între întreprinderea beneficiară – (IB) și întreprinderea executantă – (IE), după inspectia comună prealabilă a locurilor, instalațiilor și materialelor unde acestea se vor desfășura efectuată la data de ____.

Acest plan de prevenire are ca scop definirea și coordonarea măsurilor de prevenire adecvate operațiilor ce se vor executa.

1. INFORMATII ADMINISTRATIVE

Natura operației : _____

Începutul lucrărilor : ____ / ____ / ____ Sfârșitul lucrărilor : ____ / ____ / ____

Operație : Punctuală ☐ Anuală ☐

Volumul estimat de ore necesare realizării operației : _____

Lucrări :

Natura lucrărilor :

Numărul unităților executante, inclusiv subcontractanți :

Efective personal :

Programul de lucru zilnic :

Locul de intervenție :

Atelierul :

Clădirea :


Etaj :

Documentul "Măsurile de prevenire în urma cererii de ofertă" pregătește Planul de prevenire, Livretul de primire a IE și măsurile de prevenire, inspectia comună prealabilă, iar Planul de Prevenire în sine permite fiecărei IE să aplice corect (informarea personalului, mijloace conforme puse la dispoziție) toate măsurile decise.

Caution: You know what you're doing, but you don't know what the others are doing! Don't create risks for others!

Think before you act

- ✓ Assess the risks related to your activity;;
 - ✓ Inform yourself about the works taking place nearby;
 - ✓ Informing others about your work (board, separation, dialogue, coordination);
- ☐ A clean and well-organized construction site reduces the risk of accidents;



Safety rules for Horse Powertrain visitors

Risk prevention in case of work activity



Working at height management

- Fixed stairs for roof/height access (access locked with padlock, there must be a gravity gate at the last level, pictogram - access prohibited)
- Mobile stairs - Restricted access (closed etc) as much as possible, reduced use



Individual Rolling Platform



Double Ladder with Bridge



Staircase



Used only as a means of access.

Prohibited as a workstation (only with HSE exemption & formalized risk assessment)



Railing mandatory (smooth platform up and down, skirting board)

Platform may have a side without a railing, if it is located at < 18 cm from an element / wall that can prevent falling.



Steps :
70 cm max. 3 steps
H>50 cm_railing

Positioned near a wall if it has no handrail

Bench:
50 cm max. length

Reguli de utilizare

Visual inspection before use:

- General condition
- anti-slip pads present and in good condition

Separation: nearby access (door, alley)_blocked

Safety rules:

- **3 points of contact** when climbing/descending
- checking the working environment (electrical cables, holes, unevenness, etc.)
- wearing specific PPE (helmet with chin guard, protective gloves)
- **do not use your phone**
- the equipment is **not modified / intervened**
- we do **not move** when a person is positioned on a **step**
- **ladder secured or supported** by a second person
- nu **se poziționează 2 persoane pe scara** (excepție platforma mobilă)
- extensible ladders_lock and secure



Stability check before use

Separation: pegs, tape or chain
Valid:: H < 2 m
Absence of vehicles in the area



Separation: metal grid
Valid:: H < 2 m
Presence of vehicles in the area

Safety rules for Horse Powertrain visitors

Risk prevention in case of work activity

Hot work

Work involving open fire, sparks or heat release (welding, cutting, polishing, soldering) can be carried out only on the basis of a hot work permit.

Before the work begins:

- ☐ the area must be checked and protected against fire risk;
- ☐ combustible materials must be removed or protected;
- ☐ extinguishing means must be available nearby.

PERMIS DE LUCRU CU FOCUL

STOP!

Evitați lucrările cu focul și căutați o metodă alternativă/mai sigură, dacă este posibil.

Acest Permis de efectuare de lucrări cu focul este necesar pentru orice operațiune termică care implică folosirea de foc deschis sau care generează căldură și/a sau scântei.

Acest lucru include, dar nu este limitat la: țigări, țigări, poliduro, scuturi, etc.

Instrucțiuni de siguranță imperative înconjurătoare:

1. Completați și prezentați acest formular
2. Îndepliniți Partea 2 corect înainte de a efectua lucrarea
3. Plăcile Partea 2 și 2 dinse, pentru servirea, trebuie să confirme încă o dată înlocuirea completă a sistemului de monitorizare de 2 ore
4. Confirmați faza finală în Partea 2

LUCRARE CU FOCUL EFECTUATĂ DE CĂTRE

- ☐ angajat;
- ☐ un subcontractant

LOCĂȚIE / CLĂDIRE / ETAJ

NATURA LUCRĂRII

NUMELE ȘI SEMNATURA PERSONE(II) CARE EFECTUEAZĂ LUCRAREA CU FOCUL

- 1.
- 2.
- 3.

NUMELE ȘI SEMNATURA ȘEFULUI DE SECTOR UNDE SE EXECUTĂ LUCRAREA CU FOCUL

NUMELE ȘI SEMNATURA LUCRĂTORULUI SERVICIU PRIVAT PENTRU SISTEMUL DE ÎNGERJĂȚARE CĂLĂRII S.A.

Cerțific că am examinat situația menționată, am verificat că nu există niciun pericol în ceea ce privește lucrările cu focul și că toate măsurile de siguranță necesare pentru a evita incendii au fost luate și sunt efectuate activitatea necesară.

INCERPEREA LUCRĂRII:

TERMINAREA LUCRĂRII:

(Semnatura inginerului)

DATA:

ORA:

DATA:

Partea 1

Nr.

Id.

Lista măsurilor de prevenire care trebuie luate:

1. Efectuarea perimetrelor de protecție din jurul zonei. Dacă este necesar, asigurați o ventilație adecvată.
2. Piașă de asfalt în jurul zonei de lucru.
3. Ecranare, izolare, închidere a sistemului de gaze, asigurarea că toate măsurile de siguranță sunt în funcțiune.
4. Asigurați că nu există niciun risc de explozie în zona lucrării, depozite de gaze, scântei, scuturi de gaze.
5. Utilizați echipament de protecție, echipamente de protecție adecvate.
6. Asigurați o zonă de lucru în jurul zonei de lucru.
7. Încălziți zona de lucru în jurul zonei de lucru.
8. Încălziți zona de lucru în jurul zonei de lucru.
9. Încălziți zona de lucru în jurul zonei de lucru.
10. Încălziți zona de lucru în jurul zonei de lucru.
11. Încălziți zona de lucru în jurul zonei de lucru.
12. Încălziți zona de lucru în jurul zonei de lucru.
13. Încălziți zona de lucru în jurul zonei de lucru.
14. Încălziți zona de lucru în jurul zonei de lucru.
15. Încălziți zona de lucru în jurul zonei de lucru.
16. Încălziți zona de lucru în jurul zonei de lucru.
17. Încălziți zona de lucru în jurul zonei de lucru.
18. Încălziți zona de lucru în jurul zonei de lucru.
19. Încălziți zona de lucru în jurul zonei de lucru.
20. Încălziți zona de lucru în jurul zonei de lucru.
21. Încălziți zona de lucru în jurul zonei de lucru.
22. Încălziți zona de lucru în jurul zonei de lucru.
23. Încălziți zona de lucru în jurul zonei de lucru.
24. Încălziți zona de lucru în jurul zonei de lucru.
25. Încălziți zona de lucru în jurul zonei de lucru.
26. Încălziți zona de lucru în jurul zonei de lucru.
27. Încălziți zona de lucru în jurul zonei de lucru.
28. Încălziți zona de lucru în jurul zonei de lucru.
29. Încălziți zona de lucru în jurul zonei de lucru.
30. Încălziți zona de lucru în jurul zonei de lucru.
31. Încălziți zona de lucru în jurul zonei de lucru.
32. Încălziți zona de lucru în jurul zonei de lucru.
33. Încălziți zona de lucru în jurul zonei de lucru.
34. Încălziți zona de lucru în jurul zonei de lucru.
35. Încălziți zona de lucru în jurul zonei de lucru.
36. Încălziți zona de lucru în jurul zonei de lucru.
37. Încălziți zona de lucru în jurul zonei de lucru.
38. Încălziți zona de lucru în jurul zonei de lucru.
39. Încălziți zona de lucru în jurul zonei de lucru.
40. Încălziți zona de lucru în jurul zonei de lucru.
41. Încălziți zona de lucru în jurul zonei de lucru.
42. Încălziți zona de lucru în jurul zonei de lucru.
43. Încălziți zona de lucru în jurul zonei de lucru.
44. Încălziți zona de lucru în jurul zonei de lucru.
45. Încălziți zona de lucru în jurul zonei de lucru.
46. Încălziți zona de lucru în jurul zonei de lucru.
47. Încălziți zona de lucru în jurul zonei de lucru.
48. Încălziți zona de lucru în jurul zonei de lucru.
49. Încălziți zona de lucru în jurul zonei de lucru.
50. Încălziți zona de lucru în jurul zonei de lucru.
51. Încălziți zona de lucru în jurul zonei de lucru.
52. Încălziți zona de lucru în jurul zonei de lucru.
53. Încălziți zona de lucru în jurul zonei de lucru.
54. Încălziți zona de lucru în jurul zonei de lucru.
55. Încălziți zona de lucru în jurul zonei de lucru.
56. Încălziți zona de lucru în jurul zonei de lucru.
57. Încălziți zona de lucru în jurul zonei de lucru.
58. Încălziți zona de lucru în jurul zonei de lucru.
59. Încălziți zona de lucru în jurul zonei de lucru.
60. Încălziți zona de lucru în jurul zonei de lucru.
61. Încălziți zona de lucru în jurul zonei de lucru.
62. Încălziți zona de lucru în jurul zonei de lucru.
63. Încălziți zona de lucru în jurul zonei de lucru.
64. Încălziți zona de lucru în jurul zonei de lucru.
65. Încălziți zona de lucru în jurul zonei de lucru.
66. Încălziți zona de lucru în jurul zonei de lucru.
67. Încălziți zona de lucru în jurul zonei de lucru.
68. Încălziți zona de lucru în jurul zonei de lucru.
69. Încălziți zona de lucru în jurul zonei de lucru.
70. Încălziți zona de lucru în jurul zonei de lucru.
71. Încălziți zona de lucru în jurul zonei de lucru.
72. Încălziți zona de lucru în jurul zonei de lucru.
73. Încălziți zona de lucru în jurul zonei de lucru.
74. Încălziți zona de lucru în jurul zonei de lucru.
75. Încălziți zona de lucru în jurul zonei de lucru.
76. Încălziți zona de lucru în jurul zonei de lucru.
77. Încălziți zona de lucru în jurul zonei de lucru.
78. Încălziți zona de lucru în jurul zonei de lucru.
79. Încălziți zona de lucru în jurul zonei de lucru.
80. Încălziți zona de lucru în jurul zonei de lucru.
81. Încălziți zona de lucru în jurul zonei de lucru.
82. Încălziți zona de lucru în jurul zonei de lucru.
83. Încălziți zona de lucru în jurul zonei de lucru.
84. Încălziți zona de lucru în jurul zonei de lucru.
85. Încălziți zona de lucru în jurul zonei de lucru.
86. Încălziți zona de lucru în jurul zonei de lucru.
87. Încălziți zona de lucru în jurul zonei de lucru.
88. Încălziți zona de lucru în jurul zonei de lucru.
89. Încălziți zona de lucru în jurul zonei de lucru.
90. Încălziți zona de lucru în jurul zonei de lucru.
91. Încălziți zona de lucru în jurul zonei de lucru.
92. Încălziți zona de lucru în jurul zonei de lucru.
93. Încălziți zona de lucru în jurul zonei de lucru.
94. Încălziți zona de lucru în jurul zonei de lucru.
95. Încălziți zona de lucru în jurul zonei de lucru.
96. Încălziți zona de lucru în jurul zonei de lucru.
97. Încălziți zona de lucru în jurul zonei de lucru.
98. Încălziți zona de lucru în jurul zonei de lucru.
99. Încălziți zona de lucru în jurul zonei de lucru.
100. Încălziți zona de lucru în jurul zonei de lucru.

Alte măsuri de prevenire:

Compressed gas cylinders shall only be transported and stored in a vertical position. Transporting them in a horizontal position is prohibited. After completion of the work, the area is checked to eliminate any ignition source.

IT IS FORBIDDEN to intervene in an electrical installation or in the vicinity of unprotected elements under voltage **WITHOUT AUTHORIZATION!**

ATEX / EXPLOSION / FIRE

- Respect fire prevention and extinguishing measures;
- Hot Work Permit;
- Respect specific instructions for works in ATEX areas;



Safety rules for Horse Powertrain visitors

Types of PPE required



I wear the PPE established for my job and my sector of activity

- ✓ Risk-adapted;
- ✓ In good condition;
- ✓ Worn correctly;



Correct wearing of PPE

- ☐ Safety glasses → against dust, particle, liquid projections
- ☐ Protective gloves → adapted to the activity: mechanical, chemical, thermal risks
- ☐ Protective footwear → in all departments and work areas
- ☐ Reflective equipment → in all logistics areas or and with risk of cohabitation



Use of PPE (Personal Protective Equipment) in good condition & appropriate for risk / activity



Safety rules for Horse Powertrain visitors

Support / assistance for injury



I am always concerned about my security and that of others. In case of an accident, I inform my direct supervisor, who takes me to the doctor's office.

1. Emergency assembly point

In case of evacuation, proceed to the designated assembly point and follow the instructions of HORSE staff.



2. What to do in case of events

- The list of people in charge of safety is displayed
- Accidents, incidents and risky situations are reported to the responsible person and corrective measures are taken



Ambulance Access

Do not block ambulance access routes




How to call?
What is the normal procedure?
Which internal emergency number should I call?
Who needs to be informed?

Where the nearest alarm button is located?
Where are the closest emergency exits?
Where the assembly point is located?
Where is the nearest first aid kit / infirmary located?



3. Compliance with smoking regulations

- Compliant smoking area
- Smoking only in designated areas



Safety rules for Horse Powertrain visitors

Support / assistance for injury



Minor accident

We are witnessing or we are the victim of a minor accident :

- Inform your Horse contact immediately
- Immediately request accompaniment to the internal medical office (infirmary)



Serious accident

We are witnessing a serious accident:

- Do not move the injured person unless there is an immediate danger
- Do not intervene unless you are a paramedic or have first aid training
- Alert internal emergency services

Emergency phone numbers

Mioveni

TITU

DBC



Medical office

- **Mioveni** – Monday - Sunday **24/24**
- **Titu** – Monday - Sunday **08⁰⁰ – 16⁰⁰**
- **DBC** – Monday - Friday **09⁰⁰ – 18⁰⁰**

0248 / 343 363
0747 / 123 839

021 40 62450
0790 / 673 301

0799 / 776 804



General Security Dispatch

0248 / 343 384
0248 / 343 385
0753 / 083 756

021 68 68500

021 406 3597
0751 / 057 890



Emergency situations – Firefighters

0248 / 341 169
0248 / 343 171
0743 / 042 801
0756 / 095 444

021 68 68500
021 68 68700
0245 207 751

021 406 3597
0751 / 057 890



Maintenance

0248 / 342 535

021 68 68800
0748 / 031 500

Safety rules for Horse Powertrain visitors

Emergency situations and firefighting

In case of emergency, stay calm and follow the instructions of the OSH or PSI team.

Fire



Only use fire extinguishers and indoor hydrants if you have the necessary skills



Do not use the elevator

Leakage of hazardous substances



Do not touch the liquid or inhale the vapors

Press the emergency button / Turn off the energy power supplies (electrical, mechanical, etc...).

Alert colleagues / OSH coordinator / direct supervisor (N+1)

Ask for help at emergency phone numbers and inform the internal team



Evacuate the area / building

Follow the green signs to the assembly point



Accident

Never intervene on the victim before eliminating the risk.



Do not move the victim




Do not intervene on the victim without having the necessary skills



Titu Technical Center





THANK YOU